

Parameter	Unit	Value
Temperature	°C	25.0
Pressure	atm	1.0
Time	min	30.0
Concentration	mol/L	0.1
pH		7.0
Wavelength	nm	254
Scan rate	nm/min	1.0
Resolution	nm	0.5
Integration time	s	1.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset		0.0
Gain		1.0
Smoothing		1.0
Derivative		0.0
Integration		0.0
Baseline		0.0
Offset</		

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Confirmation No: To be assigned

**Group Art Unit: To be assigned**

**Examiner:** To be assigned

# PRELIMINARY AMENDMENT

**Sir:**

**Before examination, please amend the above-identified application as follows:**

Please cancel claims 21-37 without prejudice or disclaimer.

This amendment is submitted to cancel claims in order to reduce the filing fee. There is no new matter added, and entry of the amendment is respectfully requested.

The Examiner is hereby invited to contact the undersigned by telephone if there are any questions concerning this amendment or application.

Respectfully submitted,

Elias J. Lankens

Elias J. Lambiris, Reg. No. 33,728  
Novozymes North America, Inc.  
405 Lexington Avenue, Suite 6400  
New York, NY 10174-6401  
(212) 867-0123